





D 10 PHONE

Made for office professionals, the Sennheiser D 10 Phone is a single-sided wireless DECT headset for connecting directly to the desk phone. Designed for all-day use, its streamlined design makes no compromises when it comes to exceptional sound and brings the freedom of a wireless solution within reach of even more everyday users.

Sound leadership

Sennheiser Voice Clarity delivers wideband sound for a natural listening experience, while a noise-cancelling microphone gives speech clarity. Digital Signal Processing (DSP) gives a clearer sound with echo cancelling and audio equalization.

Quality design

With its streamlined design, the D 10
Phone features built-in cable management,
magnetic charge interface for secure
placement and status indicators to show
available talk time.

User focus

The D 10 Phone is easy to set up, has a range of up to 55 m (180 ft) in a typical office environment and provides a full workday of talk time with fast charging of up to 50% in just 20 minutes. DECT spectrum wireless connectivity does not

interfere with nearby WIFI devices and gives a cleaner, more stable sound. Use up to 4 headsets per conference call from the same base station and take advantage of convenient hot desking. Easy one-touch call management* for control on the go and ActiveGard® technology provides protection against acoustic injury. Its lightweight headset offers 3 types of wearing styles with choice of headband, ear hook or neckband** for the perfect customized fit.

Features and Benefits:

- Sennheiser Voice Clarity wideband sound for natural listening experiences
- Single connectivity connects directly to your desk phone
- Noise-cancelling microphone for speech clarity
- Digital Signal Processing (DSP) for echo cancelling and audio equalization
- Secure base station with solid metal plate for stability
- Built-in cable management keeps your desk tidy
- Magnetic charge interface for secure placement when charging
- \blacksquare Status indicators show available talk time
- 3 types of wearing styles with the choice between headband, ear hook or neckband** for the perfect customized fit

- Energy saving DECT technology delivers a full workday of talk time
- Fast charging delivers 50% in just 20 minutes
- Long distance wireless range up to 180 m (590 ft) with line of sight – 55 m (180 ft) in typical office environment
- Convenient phone conferencing with up to
 4 headsets per call and simple hot desking
- One-touch call management* answer/ end, vol. +/-, mute for control on the go
- DIP switches for easy product setup
- ActiveGard® technology protects users against acoustic injury caused by sudden sound burst on the line
- DECT protected frequency band without interference with WIFI networks
- Efficient encryption for secure conversations
- Full workday of talk time 8 hours wideband and 12 hours narrowband
- Two years warranty for peace of mind
- * Answer/end call requires EHS cable for desk phone. Please refer to: www.sennheiser.com/headsetcompatibility for more information.
- ** Neckband available as optional accessory. Click-on adapter from HSA 20 accessory set needed for mounting.

Product Information


Product name	D 10 Phone – EU	D 10 Phone – UK	D 10 Phone – US	D 10 Phone – AUS			
Order name	D 10 Phone – EU	D 10 Phone – UK	D 10 Phone – US	D 10 Phone – AUS			
Art. No.	506408	506409	506410	506411			
EAN No.	40 44155 09702 3	40 44155 09703 0	40 44155 09704 7	40 44155 09705 4			
UPC No.	6 15104 26126 6	6 15104 26127 3	6 15104 26128 0	6 15104 26130 3			
Product description			for desk phone, convertible (h				
Technical Data	Wheless beet headset (me	Shaarary With Base Station,	Tot desk priorie, correctible (1)	readband of ear floor,			
DECT for EU, UK, AUS	DECT (1.880 to 1.900 MHz)					
DECT for US	DECT 6.0 (1.920 to 1.930 N						
GAP compatible	Yes (Headset)	,					
Headset	Connects to Base Station/E	Base set					
Base Station	Connects to desk phone						
Headset Auto Link to Base	Yes, can be activated on the base station						
Firmware requirement	For newest version please	check Sennheiser Updater a	t sennheiser.com/cco/softwa	re			
EHS (Electronic Hook Switch)	Yes (accessory – order EHS	adapter separately)					
Mechanical Hook Lifter	HSL 10 (accessory – order						
UC compatible	Yes. For further informatio	n, please refer to: sennheise	er.com/headsetcompatibility				
Microphone							
Frequency response Wideband Mode	150 Hz – 6.8 KHz						
Frequency response Narrowband Mode	300 Hz – 3.5 KHz						
Mute Microphone	Yes						
Speaker							
Speaker type	Neodymium Magnet Speak	ker					
Frequency response Wideband Mode	150 Hz – 6.8 KHz						
Frequency response Narrowband Mode	300 Hz – 3.5 KHz						
General Data							
Operational temperature range	+5 °C to + 45 °C (+41 °F to	o +113 °F)					
Storage temperature range	-20 °C to + 70 °C (-4 °F to	+158 °F)					
Weight, ear hook version	22 g / 0.78 oz						
Weight, headband version	50 g /1.76 oz						
Ear pad size	ø 50 mm / 1.96 in						
Battery (Lithium Polymer)	Exchangeable for service (see user manual)						
Range – line of sight	180 m / 590 ft						
Range – in typical office building	55 m / 180 ft						
Automatic power adjustment	Yes (distance between headset and base)						
Talk time in Wideband Mode	Up to 8 hours						
Talk time in Narrowband Mode	Up to 12 hours						
Stand by time	Up to 100 Hours						
Auto – headset OFF when out of range	Yes → after 30 minutes						
Charge time 0 – 50%	20 minutes						
Charge time 0 – 100%	1 hour	1 hour					
Packaging	50 15 205 /226	5.04 0.07.					
Dimension of product packaging (H x W x D)	6.0 x 15 x 20.5 cm / 2.36 x	C 5.91 X 8.07 IN					
Package weight (incl. complete	660 g / 23.28 oz						
product and packaging)	000 g / 23.20 02						
Units in distributor master carton	10						
Master carton weight incl. products	8.01 kg / 17.66 lbs						
Dimension of master carton	20 x 38.5 x 52 cm / 7.87 x	15.16 x 20.47 in					
(H x W x D)							
Safety							
Automatic Acoustic Shock Protection	YES → ActiveGard [®]						
EU/AUS Limiter depending on	YES Activation by dip sv	vitch					
regional variant							
Delivery content							
HeadsetBase Station							
Power supply							
■ Audio phone cable							
 Headband (detachable) 1 hondable oar book (mounted on book) 	dcot)						
1 bendable ear hook (mounted on heaPrinted Quick Guide	uset)						
■ Printed Safety Guide							

Product Information

Accessories	_			
Accessories	Ouder news	Aut No	FANING	UPC No.
EUC Alcotol Lucont adapter	Order name CEHS-AL 01	Art. No. 504102	EAN No.	
EHS Averyandenter			40 44155 047400	6 15104 17422 1
EHS Avaya adapter	CEHS-AV 03 CEHS-AV 04	504536	40 44155 081671	6 15104 23371 3
EHS Avaya adapter		504589	40 44155 087987	6 15104 24686 7
EHS Avaya adapter	CEHS-AV 05	506037	40 44155 090291	6 15104 25053 6
EHS Cisco adapter	CEHS-CI 01	504103	40 44155 047417	6 15104 17423 8
EHS Cisco adapter	CEHS-CI 02	504533	40 44155 080230	6 15104 23183 2
EHS Cisco adapter	CEHS-CI 03	506038	40 44155 090307	6 15104 25054 3
EHS DHSG adapter	CEHS-DHSG	504105	40 44155 047431	6 15104 17425 2
EHS Polycom adapter	CEHS-PO 01	504104	40 44155 047424	6 15104 17424 5
EHS Shore Tel adapter	CEHS-SH 01	504590	40 44155 088038	6 15104 24692 8
EHS Snom adapter	CEHS-SN 01	504101	40 44155 047394	6 15104 17408 5
EHS Snom adapter	CEHS-SN 02	504188	40 44155 074574	6 15104 22297 7
Handset Lifter	HSL 10	500712	40 44156 012384	6 15104 11795 2
Ear hook with leatherette sleeve, click-on adapter and earbuds	HSA 20	506524	40 44155 209037	6 15104 27271 2
(size S, M, L)				
Neckband*	NB 20	506525	40 44155 209044	6 15104 27272 9
Fixation kit for Handset Lifter	Fixation kit - HSL10	504032	40 44155 046984	6 15104 17342 2
Interface box for AEI EHS	TCI 01	500275	40 44156 001913	6 15104 10232 3
Mobile phone adaptor	CEHS-MB 01	506033	40 44155 089165	61 5104 24889 2
Ear hook with leatherette sleeve	EH 10 B with sleeve	506454	40 44155 098143	6 15104 26278 2
RJ45-RJ11-audio cable	RJ45-RJ11-audio cable	506094	40 44155 096187	61 5104 26002 3
RJ45-2.5mm-audio cable	RJ45-2.5mm-audio cable	506467	40 44155 098839	61 5104 26371 0
Ear hook fixed (S, M and L size)	EH set DW 10 F	504352	40 44155 050868	6 15104 18035 2
USB cable	USB cable - DW	504363	40 44155 050974	6 15104 18051 2
NOTE: Only use attachments/accessories supplied	ed or recommended by Sennheiser			
Single components				
	Order name	Art. No.	EAN No.	UPC No.
Single headset of D 10	D 10 HS	506420	40 44155 097146	6 15104 26146 4
D 10 Base set for D 10 series (EU)	D 10 BS Phone – EU	506425	40 44155 097207	6 15104 26152 5
D 10 Base set for D 10 series (UK)	D 10 BS Phone – UK	506426	40 44155 097214	6 15104 26153 2
D 10 Base set for D 10 series (US)	D 10 BS Phone – US	506427	40 44155 097221	6 15104 26154 9
D 10 Base set for D 10 series (AUS)	D 10 BS Phone – AUS	506428	40 44155 097238	6 15104 26156 3
NOTE: Headset and base station can be purchas Base including power supply and audio ca		lset to be added to a	ny D 10 Series base station or used as	a spare.
Spare parts				
	Order name	Art No	FAN No	IIPC No

Spare parts				
	Order name	Art. No.	EAN No.	UPC No.
Spare black headband with earpad	SHS 06 D 10 Black	506520	40 44155 207859	6 15104 27131 9
Audio cable RJ 45 – RJ 9	RJ 45 - RJ9 - DW	504364	40 44155 050981	6 15104 18052 9
Ear hook bendable	EH DW 10 B	504370	40 44155 051049	6 15104 18062 8
Ear pad	HZP 25 DW 10	504349	40 44155 050837	6 15104 18031 4
Spare headband with earpad	SHS 05 D 10	506443	40 44155 097382	6 15104 26171 6
Base station foot D 10	Spare foot D 10	506444	40 44155 097399	6 15104 26172 3
Power supply US	UNI PS US 01	92893	40 12418 928933	6 15104 92893 0
Power supply AUS	UNI PS AUS 01	520334	40 44156 023083	6 15104 13459 1
Power supply UK	UNI PS UK 01	92892	40 12418 928926	6 15104 92892 3
Power supply EU	UNI PS EU 01	94707	40 12418 947071	6 15104 94707 8
Spare battery	DW BATT 03	504374	40 44155 051087	6 15104 18067 3

 $[\]mbox{\scriptsize \star}$ Requires the click-on adapter provided in HSA 20 accessory set.



Experience Sennheiser

Perfection is always relative: Users have different expectations from their headsets depending on their needs. For professional users, that need is to communicate as effectively as possible.

With Sennheiser's range of headsets, the combination of exceptional HD sound, quality design and build – and a focus on real life usability – give the best performance possible in busy offices, call centers and Unified Communications environments.

Please visit us at: www.sennheiser.com/cco



Sennheiser is one of the world's leading manufacturers of headphones, microphones, wireless transmission systems and high-quality headsets for both business and entertainment.

Drawing on the electro acoustics expertise of Sennheiser and the leading hearing healthcare specialist William Demant, Sennheiser Communications' wireless and wired headsets for contact centers, offices and Unified Communications professionals are the result of Sennheiser's and William Demant's joint leadership in sound quality, design, wearing comfort and hearing protection.

For further information, please visit: www.sennheiser.com/cco

Sennheiser Communications A/S

Industriparken 27 · DK-2750 Ballerup · Denmark